THE
Light Shade
STUDIO

2018/19

OUR STORY

Made in Britain, our shades are lovingly and individually crafted in our UK workshop using traditional hand finishing techniques. Our fabric library includes an extensive choice of stunning on trend colours, from classic neutral tones to seasonal brights. For our latest edit, we have introduced a range of linens and satins to our collection.

Linen is a natural fabric produced from fibres from the flax plant. One of nature's strongest natural fibres, its threads have variable lengths which contribute to its strength and longevity. Our new satin fabric is produced using a combination of cotton and polyester, combed to create a luxurious and silky-smooth finish.

Our classic 100% silk dupion is a natural handwoven fabric, which is unmistakably evident by a richness and variety of colour and texture. The fibre's triangular structure acts as a prism that refracts light, giving the surface of the fabric a lustrous sheen. As a natural fibre, the texture and slub of silk dupion is characterised by variations and irregularities in the shade and weave.

Fabrics are adhered to the shade lining material using a machine lamination process. This enables the fabric to form a secure backing and avoids bubbling or lifting, which can occur when fabric is laminated by hand. Each shade is carefully created with a sharp rolled edge finish, beautifully complementing the aesthetic designs.

For a truly personalised product, shades can be customised by teaming contrasting colours to create an eclectic two-tone effect, or stylishly finished with a metallic laminate lining.

Outside our standard collections and library of fabrics, our skilled team have the tools and craftsmanship to offer a bespoke service, tailored to suit you and your own creativity.

THE
Light Shade
STUDIO

CONTENTS

Shaded
CEILING
LIGHTS

REX

1.

3.

2.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, build your bespoke product code by adding the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
REX0863	-18 (Almond Cream)	-BZ (Bronze)	REX0863-18-BZ

	Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1.	REX0863	8lt Pendant Bronze	Almond Cream (18) / Bronze (-BZ)	H38–140 x Ø79cm	8 x 40w max SES GB	
2.	REX0563	5lt Pendant Bronze	Swan (16) / Bronze (-BZ)	H38–138 x Ø60cm	5 x 40w max SES GB	
3.	REX0763	1lt Wall Light Bronze	Almond Cream (18) / Bronze (-BZ)	D23 x H22 x W14.5	1 x 40w max SES GB	

Supplied with shades with white laminate or gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Specify shade colour and lining option on order

See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E14-LED-15

REX

Contemporary oval tubes are complemented by beautiful curves to create a versatile range suited to both hospitality and domestic use. Rex is sold complete with shade and metallic lining in a gold, bronze or silver colour way.

1.

2.

3.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, build your bespoke product code by adding the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
REX0838	-21 (Graphite)	-SI (Silver)	REX0838-21-SI

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1. REX0838	8lt Pendant Satin Nickel	Graphite (21) / Silver (-SI)	H38–140 x Ø79cm	8 x 40w max SES GB	
2. REX0538	5lt Pendant Satin Nickel	Swan (16) / Silver (-SI)	H38–138 x Ø60cm	5 x 40w max SES GB	
3. REX0738	1lt Wall Light Satin Nickel	Graphite (21) / Silver (-SI)	D23 x H22 x W14.5	1 x 40w max SES GB	

Supplied with shades with white laminate or gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Specify shade colour and lining option on order

See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E14-LED-15

Inspired by the iconic era of 1920s New York, the Gatsby is an opulent pendant handmade in Britain. Finished with luxurious high-quality heavy fringe in ivory or warm grey; available with three metallic lining options and shown with two optional suspensions. The Gatsby can also be used with a baffle to diffuse the light source, to be ordered separately.

Gatsby shades shown with optional
3 light pendant suspension: SP0350

1.

2.

Shades can be made in
our selection of fabrics.
How to order & fabric
options, see page 54–57

3.

4.

5.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, build your bespoke product code by adding the shade
outer colour code, inner lining colour code and fringe code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	+ Fringe Code	= Order Code
GAT50	-16 (Swan)	-GD (Gold)	-F15	GAT5016-GD-F15

Base Code	Additional Info	Shade Dimensions (cm)	Dimensions w/ Shade (cm)	Lamp Info	Technical
1. SF5350	3lt Semi Flush Suspension	N/A	H53–60 x Ø50	3 x 60w max ES GLS	▽ ⏚ Ⓗ[A]
2. GAT5016-GD-F15	Swan on Gold	H40 x Ø50	N/A	3 x 60w max	(subject to lamp holder)
3. GAT5019-SI-F39	Cloud on Silver	H40 x Ø50	N/A	3 x 60w max	(subject to lamp holder)
4. GAT5015-GD-F15	Ivory on Gold	H40 x Ø50	N/A	3 x 60w max	(subject to lamp holder)
5. GAT5072-BZ-F39	Truffle on Bronze	H40 x Ø50	N/A	3 x 60w max	(subject to lamp holder)

Shade only | Supplied with gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Optional ivory (F15) or warm grey (F39) fringe | Specify shade, lining and fringe colour on order
See page 54–57 for fabrics and colour options | Shown with optional 3 light suspensions SF5350 & SP0350 and compatible with 30cm floating baffle BAF3099, to be ordered separately
See page 65–69 for optional accessories and suspensions

HURLEY

Statement bevelled crystal hangs from this striking shade, with a warm bronze, lavish gold or elegant silver metallic lining. Complete with a polished chrome centre body and ceiling cup; the Hurley collection features a matching wall light.

1.

2.

3.

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1. HUR0650	6lt Pendant Polished Chrome	Graphite (21) / Silver (-SI)	H60–140 × Ø50	6 × 40w max G9	
2. HUR0650	6lt Pendant Polished Chrome	Almond Cream (18) / Bronze (-BZ)	H60–140 × Ø50	6 × 40w max G9	
3. HUR0950	2lt Wall Light Polished Chrome	Almond Cream (18) / Bronze (-BZ)	D18 × H27 × W35	2 × 40w max G9	

Supplied with shades with gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Specify shade colour and lining option on order | See page 54–57 for fabrics and colour options
LED lamp equivalent: BUL-G9-LED-3

9

Featuring the Lizard 50cm pendant
in sea mist gold on gold laminate lining.
(LIZ0141-GD)

LIZARD

Combines an elegant drum shade with cut crystal glass decoration to add a touch of glamour to any interior space. Available in any of our besoke fabrics and colours, with the option of a hard backed soft gold, matt silver or warm coppery bronze metallic lining, Lizard is a beautifully bespoke piece.

1.

2.

3.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, build your bespoke product code by adding the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
LIZ01	22 (Black)	-GD (Gold)	LIZ0122-GD

Base Code	Additional Info	Shade	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. LIZ01	1lt 50cm Pendant Polished Chrome	Black (22) / Gold (-GD)	H60–125 × Ø50	H25 × Ø50	1 × 60w max ES GLS	
2. LIZ01	1lt 50cm Pendant Polished Chrome	Silver Grey (39) / Silver (-SI)	H60–125 × Ø50	H25 × Ø50	1 × 60w max ES GLS	
3. LIZ01	1lt 50cm Pendant Polished Chrome	Taupe (01) / Bronze (-BZ)	H60–125 × Ø50	H25 × Ø50	1 × 60w max ES GLS	

To order, add the shade colour and inner lining code to the base code | See page 54–57 for fabrics and colour options | Supplied with coordinating floating baffle and polished chrome metalwork
LED lamp equivalent: BUL-E27-LED-16

HUXLEY

The Huxley's eclectic style is set off with satin chrome or gold detailing and a coordinating cable to complete the modern aesthetic. This stunning pendant emits a wonderfully diffused, soft light to the surrounding area. Available in any of our bespoke fabric options, the Huxley pendant is supplied with an ivory coloured baffle made from our corresponding fabric collection.

1.

2.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, build your bespoke product code by adding the shade outer colour code to the base code:

Base Code	+ Outer Shade Code	= Order Code
HUX0346	19 (Cloud)	HUX0346-19

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1. HUX0346	Satin Chrome	Graphite (21)	H36–125 x Ø45	3 x 60w max ES GLS	
2. HUX0335	Gold	Almond Cream (18)	H36–125 x Ø45	3 x 60w max ES GLS	

To order, add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Shade supplied with white laminate lining

LED lamp equivalent: BUL-E27-LED-17

13

Featuring the Polo 85cm bespoke two tone pendant in citron and ivory. POL0699

POLO

A striking oversized ceiling pendant featuring a shallow cylindrical style shade with both inner and outer layers finished in our luxurious fabrics and colours. Shades are produced with a sharp rolled edge finish featuring a contemporary frosted tempered glass baffle.

1.

1. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order a **two tone** pendant, add the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
POL0699	-71 (Peony)	-35 (Citron)	POL0699-71-35

2.

2. HOW TO ORDER GUIDE:

To order a **single colour** pendant, add the shade colour code to the base code.

Base Code	+ Outer/Inner Shade Code	= Order Code
POL04	76 (Olive Green)	POL0476

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. POL0699	6lt 60m Pendant Two Tone	H50 - 300cm × Ø85	H20 × Ø85	6 × 60w max ES GLS	
POL06	6lt 60cm Pendant Single Colour	H50 - 300cm × Ø85	H20 × Ø85	6 × 60w max ES GLS	
POL0499	4lt 50cm Pendant Two Tone	H35 - 300cm × Ø50	H20 × Ø50	4 × 60w max ES GLS	
2. POL04	4lt 50cm Pendant Single Colour	H35 - 300cm × Ø50	H20 × Ø50	4 × 60w max ES GLS	

See page 54–57 for fabrics and colour options | Supplied with frosted tempered glass diffuser retained by three polished chrome fixings and matching ceiling cup

Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

RENOIR

Each lamp shade is custom made to your specifications.
To order, build your bespoke product code by adding the shade
outer colour code and inner lining colour code to the base code:

This timeless collection offers a modern and effective
lighting solution for a wide variety of applications.
At the base of the shade sits a frosted glass diffuser,
tempered for added safety and retained by a polished
chrome plate and decorative finial.

Base Code	+ Outer Shade Code	= Order Code
REN10	04 (Navy)	REN1004

Black **22**

Silver Grey **39**

Charcoal **37**

French Navy **04**

1.
1.
1.
1.

2.
2.

Shades can be made in
our selection of fabrics.
How to order & fabric
options, see page 54–57

3.
3.

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. REN07	1lt Half Drum Wall Light	D18 × H15.5 × W30		1 × 60w max ES GLS	
2. REN10	3lt 40cm Pendant	H35–175 × Ø40	H20 × Ø40	3 × 60w max ES GLS	
3. REN17	3lt 60cm Pendant	H40–300 × Ø60	H25 × Ø60	3 × 60w max ES GLS	

To order, add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with frosted tempered glass diffuser and polished chrome metalwork
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

RENOIR

Ivory **15**

Sea Mist Gold **41**

Taupe **01**

Truffle **72**

2.

2.

3.

3.

Shades can be made in
our selection of fabrics.
How to order & fabric
options, see page 54–57

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. REN07	1lt Half Drum Wall Light	D18 × H15.5 × W30		1 × 60w max ES GLS	
2. REN10	3lt 40cm Pendant	H35–175 × Ø40	H20 × Ø40	3 × 60w max ES GLS	
3. REN17	3lt 60cm Pendant	H40–300 × Ø60	H25 × Ø60	3 × 60w max ES GLS	

To order add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with frosted tempered glass diffuser and polished chrome metalwork
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

1.

Peony **71**

1.

Firefly Orange **11**

1.

Citron **35**

1.

Olive Green **76**

2.

2.

Shades can be made in
our selection of fabrics.
How to order & fabric
options, see page 54–57

3.

3.

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. REN07	1lt Half Drum Wall Light	D18 × H15.5 × W30		1 × 60w max ES GLS	
2. REN10	3lt 40cm Pendant	H35–175 × Ø40	H20 × Ø40	3 × 60w max ES GLS	
3. REN17	3lt 60cm Pendant	H40–300 × Ø60	H25 × Ø60	3 × 60w max ES GLS	

To order add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with frosted tempered glass diffuser and polished chrome metalwork
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, build your bespoke product code by adding the shade
outer colour code and inner lining colour code to the base code:

A luxuriously oversized ceiling pendant
designed to achieve maximum impact
and creating a bold statement within any
interiors scheme. Sitting neatly at the base of
the shade is a frosted glass diffuser, tempered
for added safety and retained by a polished
chrome plate and decorative finial and clips

Base Code	+ Outer Shade Code	= Order Code
REN06	37 (Charcoal)	REN0637

| Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
REN06	6lt 90cm Pendant	H90–300 x Ø90	H35 x Ø90	6 x 60w max ES GLS	▽F ⏚ H▯A

To order add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with frosted tempered glass diffuser and polished chrome metalwork
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

Featuring the Ellington 60cm pendant
in taupe silk. ELL1701

ELLINGTON

This versatile and stylish shallow drum 3 light pendant creates a statement in any contemporary interior setting. The pendant is supplied with a frosted, acrylic diffuser which neatly sits at the base of the shade, giving a beautifully diffused effect onto the area below.

1.

2.

3.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, build your bespoke product code by adding the shade outer colour code to the base code:

Base Code	+ Outer Shade Code	= Order Code
ELL10	72 (Truffle)	ELL1072

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. ELL10	3lt 40cm Pendant	H35–300 x Ø40	H18 x Ø40	3 x 60w max ES GLS	
2. ELL15	3lt 50cm Pendant	H37–300 x Ø50	H20 x Ø50	3 x 60w max ES GLS	
3. ELL17	3lt 60cm Pendant	H38–300 x Ø60	H22 x Ø60	3 x 60w max ES GLS	

To order add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with white acrylic diffuser and polished chrome metalwork

Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

A contemporary tapered drum shade with a coordinating baffle and polished chrome detailing.
The Hastings is a statement piece available to order in our beautiful selection of fabrics and colours.

HASTINGS

1. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order a **single colour** pendant, add the shade colour code and metallic lining code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HAS80	04 (French Navy)	-GD (Gold)	HAS8004-GD

2. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order a **two tone** pendant, add the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HAS0699	-15 (Ivory)	-35 (Citron)	HAS0699-15-35

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. HAS80	6lt 80cm Pendant Metallic Lining	H65–330 × Ø85	H36 × Ø80	6 × 60w max ES GLS	
HAS8099	6lt 80cm Pendant Two Tone	H65–330 × Ø85	H36 × Ø80	6 × 60w max ES GLS	
HAS60	3lt 60cm Pendant Metallic Lining	H50–325 × Ø60	H33 × Ø60	3 × 60w max ES GLS	
2. HAS6099	3lt 60cm Pendant Two Tone	H50–325 × Ø60	H33 × Ø60	3 × 60w max ES GLS	
HAS50	3lt 50cm Pendant Metallic Lining	H47–320 × Ø50	H29.5 × Ø50	3 × 60w max ES GLS	
3. HAS5099	3lt 50cm Pendant Two Tone	H47–320 × Ø50	H29.5 × Ø50	3 × 60w max ES GLS	

LED lamp equivalent: BUL-E27-LED-16

NASEBY

This three light pendant features a tapered drum style shade in two sizes, which can be ordered in any of our luxurious fabrics. At the base of the Naseby shade sits a frosted acrylic diffuser with a small polished chrome decorative plate.

1.

2.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, add the shade colour code to the base code

Base Code	+ Outer Shade Code	= Order Code
NAS50	72 (Truffle)	NAS5072

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. NAS60	3lt 60cm Pendant	H50–325 x Ø60	H33 x Ø60	3 x 60w max ES GLS	
2. NAS50	3lt 50cm Pendant	H47–320 x Ø50	H29.5 x Ø50	3 x 60w max ES GLS	

To order, add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Shade supplied with white acrylic diffuser and polished chrome metalwork
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

The Paolo ceiling fitting combines a shallow silk drum shade with a white cotton diffuser, which provides a soft and even distribution of light. Sitting neatly to the ceiling, the minimal height of the shade makes it a popular choice for areas with low ceilings. There is ample space inside the shade to accommodate three or four energy saving lamps.

Shades can be made in our selection of fabrics. How to order & fabric options, see page 54–57

1.

Charcoal

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, build your bespoke product by adding the shade colour code to the base code.

Base Code	+ Outer Shade Code	= Order Code
PAO50	-37 (Charcoal)	PAO5037

2.

Silver Grey

Base Code	Additional Info	Dimensions (cm)	Lamp Info	Technical
1. PAO50	3lt 50cm Ceiling Flush	H15 x Ø50	3 x 20w max ES GLS	
2. PAO48	4lt 80cm Ceiling Flush	H15 x Ø80	4 x 20w max ES GLS	

To order, add the shade colour code to the base code | See page 54–57 for fabrics and colour options | Supplied with white cotton diffuser
Shade supplied with white laminate lining | LED lamp equivalent: BUL-E27-LED-17

HOCKNEY

1. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order a **single colour** pendant, add the shade colour
code and metallic lining code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HOC90	11 (Firefly Orange)	-GD (Gold)	HOC9011-GD

2. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order a **two tone** pendant, add the outer shade colour
code and inner shade colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HOC0699	-35 (Citron)	-15 (Ivory)	HOC0699-35-15

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
1. HOC90	6lt 90cm Pendant Metallic Lining	H65–330 x Ø90	H36 x Ø90	6 x 60w max ES GLS	
HOC9099	6lt 90cm Pendant Two Tone	H65–330 x Ø90	H36 x Ø90	6 x 60w max ES GLS	
HOC60	3lt 60cm Pendant Metallic Lining	H42–320 x Ø60	H25 x Ø60	3 x 60w max ES GLS	
2. HOC6099	3lt 60cm Pendant Two Tone	H42–320 x Ø60	H25 x Ø60	3 x 60w max ES GLS	

See page 54–57 for fabrics and colour options | Pendants supplied complete with floating baffle to match outer fabric option

LED lamp equivalent: BUL-E27-LED-16

HOCKNEY

The Hockney pendant combines a contemporary shallow drum shade with a flawless rolled edge finish. It features a multi light electrified suspension, polished chrome ceiling cup and coordinating baffle.

1.

1. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order a **two tone** pendant, add the shade outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HOC0599	-76 (Olive Green)	-35 (Citron)	HOC0599-76-35

2.

2. HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order a **single colour** pendant, add the shade colour code and metallic lining code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HOC40	71 (Peony)	-GD (Gold)	HO4071-GD

Base Code	Additional Info	Dimensions (cm)	Shade Dimensions (cm)	Lamp Info	Technical
HOC50	3lt 50cm Pendant Metallic Lining	H40–315 × Ø50	H22.5 × Ø50	3 × 60w max ES GLS	
1. HOC5099	3lt 50cm Pendant Two Tone	H40–315 × Ø50	H22.5 × Ø50	3 × 60w max ES GLS	
2. HOC40	3lt 40cm Pendant Metallic Lining	H37–310 × Ø40	H20 × Ø40	3 × 60w max ES GLS	
HOC4099	3lt 40cm Pendant Two Tone	H37–310 × Ø40	H20 × Ø40	3 × 60w max ES GLS	

See page 54–57 for fabrics and colour options | Pendants supplied complete with floating baffle to match outer fabric option

LED lamp equivalent: BUL-E27-LED-16

MEDIUM DRUM
PENDANTS

1.

DRM4099-37-39
Charcoal with silver grey silk lining
& optional charcoal floating baffle BAF3099-37
Shown with SP65 suspension.

2.

DRM4072-BZ
Truffle with bronze metallic lining
& optional truffle floating baffle BAF3099-72
Shown with SP65 suspension.

Base Code	Shade Dimensions (cm)	Suspension Code	Dimensions w/ Suspension (cm)	Lamp Info	Technical
1. DRM4099	H30 × Ø40	SP65/SP0350	H42–215 × Ø40	1 × 60w max ES GLS	
2. DRM40	H30 × Ø40	SP65	H42–215 × Ø40	1 × 60w max ES GLS	

DRM40 suitable for use with electrified suspensions | Shades are suitable for use with electrified suspension or can be installed on a standard batten lampholder pendant set

All electrified suspensions and floating baffles should be ordered separately, see page 64–69 | See full collection of medium drum pendant shades on page 59

See page 54–57 for fabrics, colour options & how to order | LED lamp equivalent: BUL-E27-LED-16

1.

DRT5099 in taupe
with firefly orange silk lining

2.

DRT4022/SI

3.

DRT3015

4.

DRT2572/GD

5.

DRT2011/GD

Base Code	Dimensions (cm)	Suspension Code	Dimensions w/ Suspension	Lamp Info	Technical
1. DRT50	H60 × Ø50	SP65/SP0350	H72 – 235 × Ø50	1 × 60w max ES GLS	
2. DRT40	H50 × Ø40	SP65/SP0350	H62 – 225 × Ø40	1 × 60w max ES GLS	
3. DRT30	H40 × Ø30	SP65	H52 – 215 × Ø30	1 × 60w max ES GLS	
4. DRT25	H35 × Ø25	SP65	H47 – 210 × Ø25	1 × 60w max ES GLS	
5. DRT20	H30 × Ø20	SP65	H42 – 205 × Ø20	1 × 60w max ES GLS	

DRT40 and DRT50 suitable for use with electrified suspensions | Shades are suitable for use with electrified suspension or can be installed on a standard batten lampholder pendant set

All electrical suspensions and floating baffles should be ordered separately, see page 64–69 | See full collection of tall drum pendant shades on page 59

See page 54–57 for fabrics, colour options & how to order | LED Lamp equivalent: BUL-E27-LED-16

1.

2.

EMP4599

EMP3572/BZ

Base Code	Dimensions (cm)	Suspension Code	Dimensions w/ Suspension	Lamp Info	Technical
1. EMP45	H29 x Ø45	SP65	H41 – 200 x Ø45	1 x 60w max ES GLS	
2. EMP35	H22 x Ø35	SP65	H34 – 195 x Ø35	1 x 60w max ES GLS	

Shades are suitable for use with electrified suspensions | Shades are suitable for use with electrified suspension or can be installed on a standard batten lampholder pendant set

All electrical suspensions and floating baffles should be ordered separately, see page 64–69 | See full collection of Empire pendant shades on page 61

See page 54–57 for fabrics, colour options & how to order | LED Lamp option: BUL-E27-LED-16

The *The* WALL LIGHT COLLECTION

HURLEY
& RENOIR

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, build your bespoke product code by adding the shade
outer colour code and inner lining colour code to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
HUR0950	-18 (Almond Cream)	-BZ (Bronze)	HUR0950-18-BZ

1.

2.

Charcoal

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1. HUR0950	Almond Cream on Bronze	HUR0950-18-BZ	D18 x H27 x W35	2 x 40w max G9	
2. REN07	Charcoal	REN0737	D18 x H15.5 x W30	1 x 60w max ES GLS	

Hurley supplied with gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Renoir supplied with white laminate lining and tempered frosted glass diffuser
Specify shade colour and lining on order| See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-G9-LED-3 (Hurley) BUL-E27-LED-17 (Renoir)

ATWOOD & GASKELL

The Atwood transcends modern design, featuring hand-applied gold leaf bars and shown here with a Taupe and French Navy 100% silk shade giving a beautifully soft light.

Gaskell's Antique brass finished circular loops are complemented by a luxurious bespoke shade, creating a modern aesthetic that will suit hospitality and domestic installations.

1.

2.

3.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, add the shade colour code to the base code

Base Code	+ Outer Shade Code	= Order Code
ATW0735	-01 (Taupe)	ATW0735-01

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info	Technical
1. ATW0735	Gold with Taupe Silk Shade	ATW0735-01	D15 × H50.5 × W30	1 × 40w max ES GLS	
2. ATW0735	Gold with French Navy Silk Shade	ATW0735-04	D15 × H50.5 × W30	1 × 40w max ES GLS	
3. GAS0775	Antique Brass with Taupe Silk Shade	GAS0775-01	D15 × H40 × W30	1 × 40w max ES GLS	

Supplied with white laminate lining | Specify shade colour on order | See page 54–57 for fabrics and colour options | LED Lamp equivalent: BUL-E27-LED-17

WETZLAR

A discreet and effortlessly stylish wall light with a dual light source
that gives a great ambient light for creating a comfortable and inviting
atmosphere. The Wetzler has an adjustable 1 watt LED reading light,
tucked into the bottom of the frame. Dual switched for convenience,
this innovative wall light is teamed with a half drum silk shade.
The shade is manufactured using a natural handwoven 100% silk dupion
with a sharp rolled edge finish. Shades are crafted individually by hand
in our UK workshop in an extensive choice of sumptuous colours.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, add the shade colour code to the base code

Base Code	+ Outer Shade Code	= Order Code
WET0999	-01 (Taupe)	WET0999-01

Base Code	Additional Info	Dimensions (cm)	Lamp Info A	Lamp Info B	Technical
WET0999	Shown Taupe Silk	D14 x H18 x W28	1 x 60w max ES GB	1 x 1w LED inc 86 lumens / 3000k	

Supplied with white laminate lining | Specify shade colour on order | See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E27-LED-17

URBIS

The Urbis features an adjustable LED task light with a USB charging socket and two discrete push switches on the face plate. Available in an elegant satin or textured antique brass finish; sold complete with a luxurious bespoke shade.

Shades can be made in our selection of fabrics. How to order & fabric options, see page 54–57

1.

2.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, add the shade colour code to the base code

Base Code	+ Outer Shade Code	= Order Code
URB0945	-15 (Ivory)	URB0945-15

Base Code	Additional Info	Shade	Dimensions (cm)	Lamp Info A	Lamp Info B	Technical
1. URB0945	Textured Brass Ivory Silk Shade	URB0945-15	D16 x H50 x W31.5	1 x 60w max ES GLS	1 x 1w LED inc 112 lumens 3000k	
2. URB0941	Satin Brass Ivory Silk Shade	URB0941-15	D16 x H50 x W31.5	1 x 60w max ES GLS	1 x 1w LED inc 112 lumens 3000k	

Supplied with white laminate lining | Specify shade colour on order | Features an integrated USB charging socket
See page 54–57 for fabrics and colour options | LED Lamp option: BUL-E27-LED-17

41

FERRARA

With its die cast construction, this neat compact bronze wall bracket adds discrete elegance to any interior scheme. Match with a handcrafted bespoke shallow drum shade. Shown here with luxurious handwoven Taupe 100% silk dupion, creating a crisp finish with tactile warmth.

1.

2.

1.

3.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade	Gimble/Lampholder	Lamp Info	Technical
1. ZUT06	Shallow Drum Shade	H12 x Ø15	N/A	ES & BC Compatible	1 x 40w max GB	
2. FER0750	Wall Light Polished Chrome	D10.5 x H14 x W9	D17 x H23.5 x W15	ES	1 x 40w max ES GB	
3. FER0763	Wall Light Bronze	D10.5 x H14 x W9	D17 x H23.5 x W15	ES	1 x 40w max ES GB	

Shown with optional Zuton 100% silk taupe shades, to be ordered separately | See page 54–57 for fabrics and colour options | LED Lamp option: BUL-E27-LED-22

ANVIL

A modern and stylish wall light, suitable for domestic or hospitality application and can be paired with our handmade Anvil bespoke fabric shades.

3.

2.

3.

4.

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications. To order, add the shade colour code to the base code

Base Code	+ Outer Shade Code	= Order Code
ANV07	01 (Taupe)	ANV0701

	Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade (cm)	Gimble/Lampholder	Lamp Info	Technical
1.	ANV0750L	Wall Light & LED Task Polished Chrome	D15 x H17 x W12.5	D20 x H27 x W15	ES	1 x 60w max ES GLS	
2.	ANV0750F	Wall Light Fixed Arm Polished Chrome	D15 x H17 x W12.5	D20 x H25 x W15	ES	1 x 60w max ES GLS	
3.	ANV07	Square Shade	D15 x H14.5 x W15	N/A	ES/BC	1 x 60w max GLS	
4.	ANV0750S	Wall Light Swing Arm Polished Chrome	D22 x H17 x W12.5	D20 x H27 x W17	ES	1 x 60w max ES GLS	

See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E27-LED-16

AMALFI
& PIZA

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, add the outer shade colour code and metallic
lining code (if required) to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
ZOF07	22 (Black)	-GD (Gold)	ZOF0722-GD

1.

2.

1.

3.

1.

2.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade	Gimble/Lampholder	Lamp Info	Technical
1. ZOF07	Rounded Rectangular Shade	D10.5 × H17 × W25	N/A	ES & BC Compatible	1 × 60w max GLS	
2. PIZ0750	Wall Light Polished Chrome	D11 × H14.5 × W20	D13.5 × H25.5 × W25	ES	1 × 60w max ES GLS	
3. AMA0750	Wall Light Polished Chrome	D12 × H10 × W20	D13.5 × H27.5 × W25	ES	1 × 60w max ES GLS	

See page 54–57 for fabrics and colour options | LED Lamp option: BUL-E27-LED-16

Shades can be made in
our selection of fabrics.
How to order & fabric
options, see page 54–57

1.

3.

2.

4.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade (cm)	Lamp Info	Technical
1. REX0763	Bronze Almond Cream		D23 x H22 x W14.5	1 x 40w max SES GB	
2. REX0738	Satin Nickel Graphite		D23 x H22 x W14.5	1 x 40w max SES GB	
3. TUS0746	Wall Light Satin Chrome	D11 x H19 x W13	D14 x H33 x W13	1 x 60w max ES GLS	
4. TUS0750	Wall Light Polished Chrome	D11 x H19 x W13	D14 x H33 x W13	1 x 60w max ES GLS	

Tuscan supplied as fitting only | Shown with optional tall drum shades DRT1311 in firefly orange and DRT1335 in citron, to be ordered separately | Rex supplied with shades with white
laminate or gold (-GD), silver (-SI) or bronze (-BZ) metallic lining | Specify shade colour and lining option on order, see page 54–57
LED lamp equivalent: BUL-E27-LED-16 (Tuscan) BUL-E14-LED-15 (Rex)

The
TABLE & FLOOR
COLLECTION

Each lamp shade is custom made to your specifications. To order, add the outer shade colour code and metallic lining code (if required) to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
DRS40	37 (Charcoal)	-WH (White)	DRS4037

1.

3.

2.

4.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade	Gimble/Lampholder	Lamp Info	Technical
1. DRS40	Shallow Drum Shade	H20 x Ø40		ES/BC	1 x 60w max GLS	
2. RIM4946	Floor Lamp Satin Chrome	H141 x Ø23	H154.5 x Ø40	ES	1 x 60w max ES GLS	
3. DRS25	Shallow Drum Shade	H16.5 x Ø25		ES/BC	1 x 60w max GLS	
4. RIM4246	Table Lamp Satin Chrome	H39.5 x Ø15	H61 x Ø25	ES	1 x 60w max ES GLS	

Shown with optional charcoal silk shades, to be ordered separately | See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E27-LED-16

Each lamp shade is custom made to your specifications. To order, add the outer shade colour code and metallic lining code (if required) to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
DRS40	11 (Firefly Orange)	-WH (White)	DRS4011

VIEW THE MATCHING WALL LIGHT PAGE 47

1.

2.

3.

4.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade	Gimble/Lampholder	Lamp Info	Technical
1. DRS40	Shallow Drum Shade	H20 x Ø40		ES/BC	1 x 60w max GLS	
2. TUS4950	Floor Lamp Polished Chrome	H130 x Ø25	H149 x Ø40	ES	1 x 60w max ES GLS	
3. DRS30	Shallow Drum Shade	H17 x Ø30		ES/BC	1 x 60w max GLS	
4. TUS4050	Table Lamp Polished Chrome	H39.5 x Ø15		ES	1 x 60w max ES GLS	

Shown with optional firefly orange silk shades, to be ordered separately | Tuscan also available in satin chrome finish (floor lamp TUS4946 & table lamp TUS4046)

See page 54–57 for fabrics and colour options | LED lamp equivalent: BUL-E27-LED-16

AMALFI

HOW TO ORDER GUIDE:

Each lamp shade is custom made to your specifications.
To order, add the outer shade colour code and metallic
lining code (if required) to the base code:

Base Code	+ Outer Shade Code	+ Inner Lining Code	= Order Code
ZOF12	01 (Taupe)	-WH (White)	ZOF1201

1.

2.

Base Code	Additional Info	Dimensions (cm)	Dimensions w/ Shade	Gimble/Lampholder	Lamp Info	Technical
1. ZOF12	Rounded Rectangular Shade	D18 x H19 x W35	N/A	ES & BC Compatible	1 x 60w max GLS	
2. AMA4050	Table Lamp LED Task Polished Chrome	D18 x H40 x W34		ES	1 x 60w max ES GLS	

Shown with optional Zoffany 100% silk taupe shades, to be ordered separately | See page 54–57 for fabrics and colour options | Task light includes opposable gooseneck stem
97 lumen LED included | LED lamp equivalent BUL-E27-LED-16

The
LAMPSHADE
COLLECTION

BESPOKE
shades

Bespoke is something that can be created outside of our standard collections.
Ideas may take shape from pieces which already exist within our catalogue,
but the principles of design can be tailored to suit your specific project.

At The Light Shade Studio we can make any of our standard
shades using a fabric of your choice; it couldn't be easier.

Speak to your local brand specialist for how
to create your bespoke light or lampshade.

Featuring the Medium 40cm Drum DRM40 in Jungle Jive fabric
from the beautiful Linwood Tango Collection.
Pictured with Odyssey ODY4301

HOW TO
Order...

2 Select your shade

Our shades come in different shapes and sizes, so it's important that you select the size that's right for you. You'll see throughout our catalogue that each shade has a unique base code, for example DRS40, which is our shallow drum 40cm silk shade. This unique code refers to the range name, shape and size of the product and is the first part of your ordering code. Once you've selected your base code, move on to step 3.

1 Order samples

You can request samples of our silk fabric colours by visiting one of our approved retailers. This gives the opportunity to check colours against your interiors scheme.

3 Select your colour

(See page 56 & 57)

Each of our silk fabrics has its own reference number, so once you've decided on your silk colour, simply add the reference number to the base code. For example, taupe silk is referred to as 01. Add this to your base code to specify the shade size and colour that you would like to order: DRS4001 = shallow drum 40cm silk shade in taupe.

4 Select your lining

Many of our shades are available with a choice of lining options. If you require white laminate, simply order the base code + your colour reference number. For example, the DRS4001 will be supplied with white laminate as standard.

If you wish to add a gold, silver or bronze metallic lining, then simply add the abbreviation of your lining choice to the shade code you've created. For example, the shallow drum 40cm in taupe with gold lining = DRS4001-GD

Some of our shades have the option to create a two tone silk effect. This enables you to create a truly bespoke product where you can specify the outer and inner colour in silk. All you need to do is add 99 to your chosen base code and specify the colours you require. For example, DRS4099 - peony outer with a taupe inner.

For more help, visit one of our approved retailers for a personal service, or visit:
thelightshadestudio.co.uk/customise

-GD   -SI   -BZ

5 Place your order

Visit thelightshadestudio.co.uk or one of our approved retailers: thelightshadestudio.co.uk/stockists. For our sales team, call 01295 672628.

SILK DUPION

15
Ivory

41
Sea Mist Gold

01
Taupe

72
Truffle

39
Silver Grey

37
Charcoal

04
French Navy

22
Black

71
Peony

35
Citron

76
Olive Green

11
Firefly Orange

Our 100% silk dupion is a natural handwoven fabric, unmistakably evident by a richness and variety of colour and texture.
The fibre's triangular structure acts as a prism that refracts light, giving the surface of the fabric a lustrous sheen.
As a natural fibre the texture and slub of silk dupion is characterised by variations and irregularities in the shade and weave.

SATIN

(Price Band A)

16
Swan

18
Almond Cream

19
Cloud

21
Graphite

20
Copper Oxide

A soft and smooth fabric produced using a combination of cotton and polyester fibres, combed to create a luxurious satin finish.

SATIN

05
Teal

06
Ballet Pink

Our alluring soft ballet pink and teal satin fabrics are woven using 100% natural silk fibres.

LINEN

07
Bone

08
Limestone

09
Marshmallow

10
Slate Grey

Made from 100% linen, our new fabric embodies an elegant and subtle matt sheen. Linen is a natural fabric made from the flax plant. One of nature's strongest fibres, its threads have variable lengths which contributes to its strength and longevity.

SHADE LININGS

–GD
Gold Metallic

–SI
Silver Metallic

–BZ
Bronze Metallic

–WH
White

TWO TONE

Many shades are available with a two tone fabric lining from the above fabric collections.

SHALLOW DRUM

Base Code	Ø (cm)	Height (cm)	Max Wattage	Gimble Type	Suitable Pendant	Suitable TL/FL
DRS13	13	12	60w	ES/BC	✓	✓
DRS20	20	16	60w	ES/BC	✓	✓
DRS25	25	16.5	60w	ES/BC	✓	✓
DRS30	30	17	60w	ES/BC	✓	✓
DRS35	35	19	60w	ES/BC	✓	✓
DRS40	40	20	60w	ES/BC	✓	✓
DRS45	45	21	60w	ES/BC	✓	✓
DRS50	50	22.5	60w	ES/BC	✓	✓
DRS60	60	26	60w	ES/BC	✓	✓
DRS90	90	36	60w	ES/BC	✓	✗

MEDIUM DRUM

Base Code	Ø (cm)	Height (cm)	Max Wattage	Gimble Type	Suitable Pendant	Suitable TL/FL
DRM13	13	15	60w	ES/BC	✓	✓
DRM20	20	18.5	60w	ES/BC	✓	✓
DRM25	25	22	60w	ES/BC	✓	✓
DRM30	30	24	60w	ES/BC	✓	✓
DRM35	35	26	60w	ES/BC	✓	✓
DRM40	40	30	60w	ES/BC	✓	✓
DRM45	45	32.5	60w	ES/BC	✓	✓
DRM50	50	35	60w	ES/BC	✓	✓
DRM60	60	40	60w	ES/BC	✓	✓

TALL DRUM

Base Code	Ø (cm)	Height (cm)	Max Wattage	Gimble Type	Suitable Pendant	Suitable TL/FL
DRT13	13	20	60w	ES/BC	✓	✓
DRT20	20	30	60w	ES/BC	✓	✓
DRT25	25	35	60w	ES/BC	✓	✓
DRT30	30	40	60w	ES/BC	✓	✓
DRT35	35	45	60w	ES/BC	✓	✓
DRT40	40	50	60w	ES/BC	✓	✓
DRT45	45	55	60w	ES/BC	✓	✓
DRT50	50	60	60w	ES/BC	✓	✓
DRT60	60	70	60w	ES/BC	✓	✓

CUSTOMISE YOUR SHADE

using our online configurator:
thelightshadestudio.co.uk/customise

See page 54–57 for how to order guide, fabric and colour options | Shades suitable for use with an electrified suspension (see page 66–69)
or can be installed on a standard batten lamp holder pendant set (DRS90 must be used with SP0650 for weight and to ensure stability)
Shades supplied with ES (42mm) gimble and BC (29mm) reducer

CUSTOMISE YOUR SHADE

using our online configurator:
thelightshadestudio.co.uk/customise

TAPERED DRUM
& EMPIRE SHADE
SIZES

TAPERED DRUM

Base Code	Bottom Ø (cm)	Top Ø (cm)	Height (cm)	Max Wattage	Gimble Type	Pendant	Suitable TL/FL	Electrical Suspension
TAP20	20	18	14.5	60w	ES/BC	✘	✔	N/A
TAP25	25	22.5	18	60w	ES/BC	✘	✔	N/A
TAP30	30	27	21	60w	ES/BC	✘	✔	N/A
TAP35	35	31.5	23	60w	ES/BC	✘	✔	N/A
TAP40	40	35.5	26	60w	ES/BC	✘	✔	N/A
TAP45	45	40	30.5	60w	ES/BC	✘	✔	N/A
TAP50	50	45	29.5	3 × 60w	ES/BC	✔	✘	SP6*/SP0350
TAP60	60	54	33	6 × 60w	ES/BC	✔	✘	SP6*/SP0350/0650
TAP80	80	72	36	8 × 60w	ES/BC	✔	✘	SP0650

EMPIRE DRUM

Base Code	Bottom Ø (cm)	Top Ø (cm)	Height (cm)	Max Wattage	Gimble Type	Pendant	Suitable TL/FL
EMP20	20	13	13	60w	ES/BC	✔	✔
EMP25	25	16	16	60w	ES/BC	✔	✔
EMP30	30	19	19	60w	ES/BC	✔	✔
EMP35	35	22	22	60w	ES/BC	✔	✔
EMP40	40	26	26	60w	ES/BC	✔	✔
EMP45	45	29	29	60w	ES/BC	✔	✔

TAP80 due to the weight of the shade and to ensure stability, must be used with SP0650 6 light suspension | TAP60 can be used with optional electrified suspension SP0650, SP0350 or SP6* | TAP50 can be used with SP0350 or SP6* | Both TAP60 and TAP50 can be used with a standard batten lamp-holder unit

Empire drum supplied with reversible gimble | Shades supplied with ES (42mm) gimble and BC (29mm) reducer
Empire shades can be used with single electrical suspension or can be installed on a standard batten lamp-holder set.

RECTANGLE
& SQUARE
SHADE SIZES

ROUNDED RECTANGLE

1.

2.

3.

SQUARE & ROUNDED SQUARE

4.

5.

6.

Base Code	Dimensions (cm)	Max Wattage	Gimble
1. Zoffany ZOF07	H17 x D10.5 x W25	60w Max	ES/BC
2. Zoffany ZOF11	H15 x D15 x W30	60w Max	ES/BC
3. Zoffany ZOF12	H19 x D18 x W35	60w Max	ES/BC
4. Anvil ANV07	H14.5 x D15 x W15	60w Max	ES/BC
5. Zumin ZUM08	H19 x D20 x W20	60w Max	ES/BC
6. Zumin ZUM10	H19 x D24 x W24	60w Max	ES/BC

Shades supplied with ES (42mm) gimble and BC (29mm) reducer

CUSTOMISE YOUR SHADE

THE
Light Shade
STUDIO

using our online configurator:
thelightshadestudio.co.uk/customise

1.

2.

CYLINDER

3.

4.

TAPERED CYLINDER

5.

6.

7.

Base Code	Dimensions (cm)	Max Wattage	Gimble
1. Zuton ZUT05	H14 x Ø13	40w Max	SES
2. S0899	H11 x Ø13	40w Max	SES
3 Hidcote HID07	H13 x Ø15	40w Max	Golf Ball Clip
4. Doreen DOR07	H16.5 x Ø16.5	40w Max	SES
5. Byron BYR07	H12 x Ø11	40w Max	Candle Clip
6. Rohan ROH07	H10.5 x Ø16.5	40w Max	Candle Clip
7. Murray MUR07	H12.5 x Ø14	40w Max	SES

See page 54–57 for how to order guide, fabric and colour options

Shades supplied with ES (42mm) gimble and BC (29mm) reducer

BAFFLES & DIFFUSERS

Acrylic Diffusers
with polished chrome detail

Base Code	Dimensions (cm)
1. ACC1940	Ø40
2. ACC1950	Ø50
3. ACC1960	Ø60

Floating Baffles
100% silk on white laminate lining

Base Code	Dimensions (cm)	Compatible Shade (P59–61)
1. BAF3099	Ø30	40 & 45cm Drum Shades
2. BAF4099	Ø40	50cm Drum & Tapered Shades
3. BAF5099	Ø50	60cm Drum & Tapered Shades
4. BAF6599	Ø65	90cm Drum & 80cm Tapered Shades

Specify colour on order
supplied with adjustable height fixings

Cotton Diffusers
white cotton on white laminate lining

Base Code	Dimensions (cm)
1. DIF122	Ø30
2. DIF162	Ø40
3. DIF202	Ø50

Supplied with white laminate lining

The ACCESSORIES
COLLECTION

SUSPENSIONS
& CARRIERS

2.

1.

WE RECOMMEND THE
USE OF SUSPENSIONS
SUPPLIED BY:

där®
lighting group

4.

SHA85 white
H12.7 x Ø13cm

SHA86 white
H15.2 x Ø13cm

SHA87 white
H17.8 x Ø13cm

SHA88 white
H20.3 x Ø13cm

SHA89 white
H22.9 x Ø13cm

BC/ES compatible

3.

Base Code	Additional Info	Dimensions (cm)	Lamp Info	Low Energy Lamp Equivalent	Technical
1. SP0350	3lt Suspension Polished Chrome	H27–270 x Ø24	3 x 60w max ES GLS	8w ES GLS (BUL-E27-LED-16)	
2. SP0650	6lt Suspension Polished Chrome	H31–336 x Ø32	6 x 60w max ES GLS	8w ES GLS (BUL-E27-LED-16)	
3. SHA91	Spider Unit Gloss White	H2 x Ø11	BC/ES Compatible	N/A	
4. SHA85–89	Shade Carrier Gloss White	see above	BC/ES Compatible	N/A	

Minimum shade diameter for SP0350 is 40cm | Minimum shade diameter for SP0650 is 60cm

1.

3.

SF0150 shown with optional DRM4018:
40cm drum shade in almond cream.
Also shown with acrylic diffuser ACC1940.

2.

4.

SF5350 shown with optional TAP5021:
50cm tapered drum shade in graphite.
Also shown with acrylic diffuser
ACC1950.

Base Code	Additional Info	Shade Dimensions (cm)	Dimensions w/ Shade (cm)	Lamp Info	Low Energy Lamp Equivalent	Technical
1. SF0150	1lt Semi Flush Polished Chrome	H12 × Ø12	H42 × Ø40	1 × 60w max ES GLS	BUL-E27-LED-17	
2. SF5350	3lt Semi Flush Polished Chrome	H25–32.5 × Ø19	H43–50 × Ø50	3 × 60w max ES GLS	BUL-E27-LED-17	
3. DRM4018	40cm Medium Drum	H30 × Ø40		3 × 60w max (subject to lampholder)		
4. TAP5021	50cm Tapered Drum	H29.5 × Ø50		3 × 60w max (subject to lampholder)		

Maximum shade weight for SF0150 is 2.2kg | Minimum shade diameter for SF5350 is 40cm | Shown with optional acrylic diffuser, to be ordered separately

SUSPENSIONS

SP6505 (ACROSS LEFT)

- FOR USE WITH EASY FIT NON ELECTRIFIED - PENDANTS AND SHADES
- SUITABLE FOR USE WITH 42MM GIMBLE
- MAX DROP 2 METRES

WE RECOMMEND THE
USE OF SUSPENSIONS
SUPPLIED BY:

där ®
lighting group

Base Code	Additional Info	Dimensions (cm)	Lamp Info	Low Energy Lamp Equivalent	Technical
1. SPY6505	5lt Telescopic Suspension Kit	H20–200 x Ø64–76	5 x 60w max ES GLS	9w ES GLS (BUL-E27-LED-2)	
2. SP365	3lt Suspension Plate Polished Chrome	D10 x H20–215 x W95	3 x 60w max ES GLS	9w ES GLS (BUL-E27-LED-2)	
3. SP367	3lt Suspension Plate Antique Brass	D10 x H20–215 x W95	3 x 60w max ES GLS	9w ES GLS (BUL-E27-LED-2)	
4. SP368	3lt Suspension Plate Satin Chrome	D10 x H20–215 x W95	3 x 60w max ES GLS	9w ES GLS (BUL-E27-LED-2)	

Maximum shade weight for SPY6506 is 2.2kg per arm | Maximum shade weight for SP365/SP367 & SP368 is 2.2kg per cable

Base Code	Additional Info	Dimensions (cm)	Lamp Info	Technical
1. SP61	1lt Suspension Antique Chrome c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
2. SP62	1lt Suspension Polished Chrome c/w Black Braided Cable	H20–180 x Ø10	1 x 60w max ES	
3. SP63	1lt Suspension Satin Brass c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
4. SP64	1lt Suspension Copper c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
5. SP65	1lt Suspension Polished Chrome c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
6. SP67	1lt Suspension Antique Brass c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
7. SP68	1lt Suspension Satin Chrome c/w Clear Cable	H20–180 x Ø10	1 x 60w max ES	
8. SP6575	1lt Suspension Antique Brass c/w Chain & Clear Cable	H20–180 x Ø10	1 x 60w max ES	
9. SP8664	1lt Suspension Copper c/w Black Braided Cable	H20–180 x Ø10	1 x 60w max ES	
10. SP8667	1lt Suspension Gun Metal c/w Black Braided Cable	H20–180 x Ø10	1 x 60w max ES	

Maximum shade weight for all suspensions illustrated above is 2.2kg per arm

LED LAMPS

LED lamps offer the latest in energy saving technology providing long life, low heat and exceptionally low running costs. They offer many benefits over the older 'CFL' Style lamps such as instant on, different colour temperatures and a more compact package. Most styles of lamp are available including 'filament' LED - with a yellow filament which, when illuminated, have a similar appearance to traditional tungsten incandescent lamps. These look best in decorative applications where the lamp can be seen.

Whilst the purchase cost may be higher than traditional lamps, the energy savings over their long lifetime are substantial. The much greater intervals between replacements make them ideal where access is difficult.

Select your lamp type and shape

LED lamps are available in a variety of shapes and sizes to offer a suitable alternative to most traditional incandescent lamps. Before ordering replacement lamps, check your light fitting or lamps to see which cap fitting and shape you require - this is quick and simple to do and ensures you select the right lamp first time. Some popular lamp caps are illustrated as a guide.

| ES/E27 | BC/B22 | SES/E14 | GU10 | GX53 | G9 | G4 | R7S |

Choose the correct brightness (Lumens vs. Watts)

Traditionally, the 'brightness' of a light bulb has been described by its wattage and everyone knows that a 100w lamp will be brighter than a 60w lamp. Wattage only tells you how much energy a lamp uses = not how bright it is. As most people are upgrading from traditional lamps it is natural to compare the brightness against the familiar incandescent lamps - in fact, throughout the catalogue, we continue to show the maximum wattage to which the products were originally tested to help simplify the process of selecting an appropriate LED replacement.

As LED technology is much more efficient, wattage is no longer the means by which the brightness of a lamp can be measured. The accurate measurement is the 'Lumen Output'. By law lamps must show their lumen output on the packaging. Most manufacturers equate the lumen output to the more familiar incandescent lamp.
For example 'this 10w lamp is equivalent to a 60w lamp' although when purchasing lamps the lumen output should always be compared to verify their brightness.

All lamps shown are equated to the true and measured output of the traditional incandescent as specified by law in the Energy Related Products Regulations. A summary of these are below:

Old Wattage	15w	25w	40w	60w	75w	100w
Lumens	136	249	470	806	1055	1521
Typical LED Wattage	1-2w	2-4w	4-6w	6-10w	10-12w	14-16w

8w LED BUL-E27-LED-16

DIMMABLE

A++
A+
A
B
C
D
E

6cm
10.5cm

1000 LUMEN
EQUATES TO **71w**

Warm White **2700K**

15,000hrs ave. lifespan

8w LED BUL-E27-LED-17

DIMMABLE

A++
A+
A
B
C
D
E

6cm
10.5cm

1000 LUMEN
EQUATES TO **71w**

Warm White **2700K**

15,000hrs ave. lifespan

6w LED BUL-E27-LED-19

DIMMABLE

A++
A+
A
B
C
D
E

9.5cm
13.5cm

806 LUMEN
EQUATES TO **60w**

Warm White **2700K**

15,000hrs ave. lifespan

6w LED BUL-E27-LED-20

DIMMABLE

A++
A+
A
B
C
D
E

12.5cm
17cm

806 LUMEN
EQUATES TO **60w**

Warm White **2700K**

15,000hrs ave. lifespan

7w LED BUL-E27-LED-15

DIMMABLE

A++
A+
A
B
C
D
E

6.4cm
14cm

850 LUMEN
EQUATES TO **62w**

Warm White **2700K**

15,000hrs ave. lifespan

4w LED BUL-E27-LED-22

DIMMABLE

A++
A+
A
B
C
D
E

4.5cm
7.3cm

400 LUMEN
EQUATES TO **35w**

Warm White **2700K**

15,000hrs ave. lifespan

2w LED BUL-E27-LED-18

A++
A+
A
B
C
D
E

8cm
12cm

60 LUMEN

Warm White **2400K**

15,000hrs ave. lifespan

2w LED BUL-E27-LED-23

A
A+
A
B
C
D
E

12.5cm
17cm

60 LUMEN

Warm White **2700K**

15,000hrs ave. lifespan

We recommend the use of lamps from där lighting **där** lighting group

B22 LED

4w LED BUL-B22-LED-3

DIMMABLE

A++
A+
A
B
C
D
E

4.5cm
7.3cm

400 LUMEN
EQUATES TO
35w

Warm White
2700K

15,000hrs
ave. lifespan

8w LED BUL-B22-LED-4

DIMMABLE

A++
A+
A
B
C
D
E

6cm
10.5cm

1000 LUMEN
EQUATES TO
71w

Warm White
2700K

15,000hrs
ave. lifespan

E14 LED

6.2w LED BUL-E14-LED-12

DIMMABLE

A++
A+
A
B
C
D
E

3.5cm
10cm

480 LUMEN
EQUATES TO
40w

Warm White
2700K

15,000hrs
ave. lifespan

4w LED BUL-E14-LED-13

DIMMABLE

A++
A+
A
B
C
D
E

3.5cm
9.8cm

400 LUMEN
EQUATES TO
35w

Warm White
2700K

15,000hrs
ave. lifespan

4w LED BUL-E14-LED-17

A++
A+
A
B
C
D
E

3.5cm
9.8cm

450 LUMEN
EQUATES TO
38w

Warm White
2700K

15,000hrs
ave. lifespan

4w LED BUL-E14-LED-14

DIMMABLE

A++
A+
A
B
C
D
E

3.5cm
11.8cm

400 LUMEN
EQUATES TO
35w

Warm White
2700K

15,000hrs
ave. lifespan

4w LED BUL-E14-LED-15

DIMMABLE

A++
A+
A
B
C
D
E

4.5cm
7.3cm

400 LUMEN
EQUATES TO
35w

Warm White
2700K

15,000hrs
ave. lifespan

4w LED BUL-E14-LED-3

A++
A+
A
B
C
D
E

4.5cm
7.3cm

450 LUMEN
EQUATES TO
38w

Warm White
2700K

15,000hrs
ave. lifespan

6w LED BUL-E27-LED-21

DIMMABLE

A++
A+ ▶
A
B
C
D
E

3cm

22.5cm

650 LUMEN
EQUATES TO
50w

Warm White
2700K

15,000hrs ave. lifespan

6w LED BUL-E27-LED-25

DIMMABLE

A++
A+ ▶
A
B
C
D
E

3cm

18.5cm

600 LUMEN
EQUATES TO
47w

Warm White
2700K

15,000hrs ave. lifespan

G9 LED

3w LED BUL-G9-LED-3

A++ ▶
A+
A
B
C
D
E

1.6cm

4.75cm

300 LUMEN
EQUATES TO
28w

Warm White
2700K

15,000hrs ave. lifespan

2w LED BUL-G9-LED-4

A++ ▶
A+
A
B
C
D
E

1.6cm

4cm

190 LUMEN
EQUATES TO
19w

Warm White
2700K

15,000hrs ave. lifespan

G9 Clear HALOGEN

20w BULBG920

DIMMABLE

A++
A+
A
B
C
D ▶
E

1.3cm

4.2cm

235 LUMEN

Warm White
2700K

2,000hrs ave. lifespan

33w BULBG933

DIMMABLE

A++
A+
A
B
C
D ▶
E

1.3cm

4.2cm

455 LUMEN

Warm White
2700K

2,000hrs ave. lifespan

GU10 LED

6w LED BUL-GU10-LED-4

DIMMABLE

A++
A+ ▶
A
B
C
D
E

5cm

5.5cm

450 LUMEN
EQUATES TO
68w

Warm White
3000K

15,000hrs ave. lifespan

5w LED BUL-GU10-LED-8

A++
A+ ▶
A
B
C
D
E

5cm

5.4cm

345 LUMEN
EQUATES TO
50w

Warm White
3000K

15,000hrs ave. lifespan

E27 VINTAGE LED

4w LED BUL-E27-LEDV-1

DIMMABLE

A++
A+
A
B
C
D
E

6.4cm
14cm

300 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E27-LEDV-2

DIMMABLE

A++
A+
A
B
C
D
E

6.4cm
14cm

160 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E27-LEDV-3

DIMMABLE

A++
A+
A
B
C
D
E

9.5cm
13.5cm

140 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E27-LEDV-4

DIMMABLE

A++
A+
A
B
C
D
E

12.5cm
17cm

140 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

6w LED BUL-E27-LEDV-5

DIMMABLE

A++
A+
A
B
C
D
E

3cm
22.5cm

400 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

6w LED BUL-E27-LEDV-6

DIMMABLE

A++
A+
A
B
C
D
E

3cm
18.5cm

380 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E27-LEDV-7

DIMMABLE

A++
A+
A
B
C
D
E

7.5cm
13.8cm

160 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E27-LEDV-8

DIMMABLE

A++
A+
A
B
C
D
E

4.5cm
10cm

250 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E14-LEDV-1

DIMMABLE

A++
A+
A
B
C
D
E

3.5cm

9.8cm

250 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-E14-LEDV-2

DIMMABLE

A++
A+
A
B
C
D
E

3.5cm

11.8cm

250 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

4w LED BUL-B22-LEDV-1

DIMMABLE

A++
A+
A
B
C
D
E

6.4cm

14cm

300 LUMEN

Warm White
1800K

15,000hrs
ave. lifespan

3.5w LED BUL-E27-LEDV-9

DIMMABLE

A++
A+
A
B
C
D
E

6.4cm

14.5cm

120 LUMEN

Warm White
1800K

25,000hrs
ave. lifespan

3.5w LED BUL-E27-LEDV-10

DIMMABLE

A++
A+
A
B
C
D
E

9.5cm

14.5cm

120 LUMEN

Warm White
1800K

25,000hrs
ave. lifespan

3.5w LED BUL-E27-LEDV-11

DIMMABLE

A++
A+
A
B
C
D
E

12.5cm

16.5cm

120 LUMEN

Warm White
1800K

25,000hrs
ave. lifespan

TECHNICAL SYMBOLS GLOSSARY

⏚ Earthed	In Line Rocker Switched	Pull Cord Switched	Multiple Colour Options
▣ Double Insulated	Push Bar Switched	IP43 Rated	Shade Fabric Options
▽F F Marked	Foot Switched	IP44 Rated	Shade Lining Options
H↕A Height Adjustable	Push Button Switched	IP64 Rated	SOLID BRASS Solid Brass Construction
D↕M Dual Mount	Integrated USB charger	IP65 Rated	Customisable Product

INGRESS PROTECTION

The following Information is a guide to help you understand which fittings can be placed where with regard to ingress protection. This is not an installation guide and reference should be made to the IEE Wiring Regulations (17th Edition) or a qualified electrician.

Firstly it is important to understand the rating by which bathroom and some outdoor lights are classified:
IP rating stands for "Ingress Protection" and is always followed by two numbers. These two numbers refer to the level of protection and it is important that you choose fittings with the correct rating according to where they are to be situated.

The diagram across shows a bathroom split into three clear zones: 0, 1 & 2.

Zone 0 is inside the bath or shower itself. Any fitting used in this zone must be low voltage (max 12V) and be rated at least IP67 which is immersion proof.

Zone 1 is the area above the bath to a height of 2.25m from the floor. In this zone a minimum rating of IP44 is required.

Zone 2 is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone an IP rating of at least IP44 is required.

The lighting circuit within a bathroom should be protected with a 30mA residual current device (RCD).

In addition, it is good practice to consider the area around a wash basin within a 60cm radius of any tap, to be considered as zone 2.

In accordance with advice from The Lighting Industry Association, the location above zone 1 (over a bath or shower) up to a ceiling height of 3m continues to be classified as zone 2

OUTSIDE OF ZONES
There are no special requirements for light fittings in this area*

* Except that all mains voltage fittings used in a bathroom must be connected to a circuit protected by 30m A Residual current device (RCD)

Zone 1   Zone 2

Zone 2
0.6m radius from tap

Zone 0

3m   2.25m   0.6m   0.6m

DIMENSIONS
Explained

Diameter: The total diameter including shades/glass at widest part of fixture.

Max Height: The longest drop possible for a ceiling fitting.

Min Height: The shortest drop possible for a ceiling fitting.

Fittings with a min/max height are supplied with a max height of chain or rod
and can be adjusted to any height between the min and max at point of installation.

Width: The total width including shades at widest part of fixture.

Depth: The total depth including shades at deepest part of fixture.

Base/fitting only height: Some products are supplied without shades:
In this instance, the height given refers to the height from the gimble to the base.

Height

Width

Width

Depth

DOUBLE INSULATED TECHNICAL INDEX

REX / 4–5

HURLEY / 9

HURLEY / 9 & 38

ATWOOD / 39

GASKELL / 39

URBIS / 41

POLO / 15

WETZLAR / 40

FERRARA / 42–43

ANVIL / 44–45

PIZA / 46

TUSCAN / 51

MAIN INDEX

THE
Light Shade
STUDIO

sales@thelightshadestudio.co.uk
www.thelightshadestudio.co.uk
01295 672200

CAT/SHADE/A4/SE18

01295 672200
sales@thelightshadestudio.co.uk
www.thelightshadestudio.co.uk